(
•	_

	Application No.	Applicant(s)	
Madia a RAH a at 194	10/726,433	DUCHON ET AL.	
Notice of Allowability	Examiner	Art Unit	
	Fadi H. Dahbour	3743	
The MAILING DATE of this communication and All claims being allowable, PROSECUTION ON THE MERITS herewith (or previously mailed), a Notice of Allowance (PTOLNOTICE OF ALLOWABILITY IS NOT A GRANT OF PATENT of the Office or upon petition by the applicant. See 37 CFR 1.	IS (OR REMAINS) CLOSED in 85) or other appropriate comm RIGHTS. This application is	n this application. If not included unication will be mailed in due co	urse. THIS
1. This communication is responsive to <u>amendment filed cannot be a second to the sec</u>	on 03/26/05.	•	
2. 🔀 The allowed claim(s) is/are <u>1-67</u> .			
3. $igotimes$ The drawings filed on <u>26 March 2005</u> are accepted by t	the Examiner.		
4. Acknowledgment is made of a claim for foreign priority a) All b) Some* c) None of the: 1. Certified copies of the priority documents h 2. Certified copies of the priority documents h 3. Copies of the certified copies of the priority International Bureau (PCT Rule 17.2(a)). * Certified copies not received: Applicant has THREE MONTHS FROM THE "MAILING DAT noted below. Failure to timely comply will result in ABANDO THIS THREE-MONTH PERIOD IS NOT EXTENDABLE.	ave been received. ave been received in Application documents have been receive	on No d in this national stage applicatio	
5. A SUBSTITUTE OATH OR DECLARATION must be su INFORMAL PATENT APPLICATION (PTO-152) which			TICE OF
 CORRECTED DRAWINGS (as "replacement sheets") r (a) including changes required by the Notice of Draftsp 1) hereto or 2) to Paper No./Mail Date (b) including changes required by the attached Examin Paper No./Mail Date Identifying indicia such as the application number (see 37 CF each sheet. Replacement sheet(s) should be labeled as such DEPOSIT OF and/or INFORMATION about the deattached Examiner's comment regarding REQUIREMENT 	person's Patent Drawing Review ner's Amendment / Comment on the R 1.84(c)) should be written on the header according to 37 Cleposit of BIOLOGICAL MAT	r in the Office action of he drawings in the front (not the balls FR 1.121(d). ERIAL must be submitted. No	·
Attachment(s) 1. ☐ Notice of References Cited (PTO-892) 2. ☐ Notice of Draftperson's Patent Drawing Review (PTO-94) 3. ☐ Information Disclosure Statements (PTO-1449 or PTO/S Paper No./Mail Date 4. ☐ Examiner's Comment Regarding Requirement for Deposor of Biological Material	8) 6. ☐ Interview S Paper No. B/08), 7. ☐ Examiner's	oformal Patent Application (PTO-formal Patent Application (PTO-formal PTO-formal PTO-for	,
		Fadi H. Dahbour Examiner Art Unit 3743	

Application/Control Number: 10/726,433 Page 2

Art Unit: 3743

DETAILED ACTION

Allowable Subject Matter

- 1. The Examiner acknowledges Applicant's submission of the amendment filed on 03/26/05.
- 2. The allowed claims are 1-67.
- 3. The following is an examiner's statement of reasons for allowance:

The prior art of record does not teach or fairly suggest the recitations of the specific features of the implant and method, in claims 1, 10, 20, 28, 36, 44, 53 & 61, including especially the following:

The primary reason for the allowance of independent claim 1, is the inclusion of maintaining contact between the implant and the uterine tissue for at least so long that the tissue response causes a changed gynecological condition in the female, claimed in combination with the introduction with a delivery tool, and the detachment from the delivery tool.

The primary reason for the allowance of independent claim 10, is the inclusion of the substance sized and shaped for sufficiently contacting uterine tissue such that the tissue response causes a gynecological change in the female, claimed in combination with the presterilized substance being self-contained, and being disconnectable from a delivery tool.

The primary reason for the allowance of independent claim 20, is the inclusion of maintaining contact between the presterilized implant and the uterine tissue at least until adhesions are formed in the uterus, causing a changed gynecological condition in the female.

Application/Control Number: 10/726,433

Art Unit: 3743

Page 3

The primary reason for the allowance of independent claim 28, is the inclusion of maintaining contact between the presterilized implant and the uterine tissue at least until walls of the uterus adhere together, causing a changed gynecological condition in the female. The primary reason for the allowance of independent claim 36, is the inclusion of maintaining contact between the implant and the uterine tissue for at least so long that the tissue response causes a changed gynecological condition in the female, claimed in combination with the presterilized implant being formulated at least in part from polyester. The primary reason for the allowance of independent claim 44, is the inclusion of the substance sized and shaped for sufficiently contacting uterine tissue such that the tissue response causes a gynecological change in the female, claimed in combination with the presterilized substance being in the form of a mesh material.

The primary reason for the allowance of independent claim 53, is the inclusion of the substance sized and shaped for sufficiently contacting uterine tissue such that the tissue response causes a gynecological change in the female, claimed in combination with the presterilized substance being comprised of polyester material.

The primary reason for the allowance of independent claim 61, is the inclusion of the substance sized and shaped for sufficiently contacting uterine tissue such that the tissue response causes a gynecological change in the female, claimed in combination with the presterilized substance having a frame, at least a portion of which is covered by a mesh material.

4. Any comments considered necessary by applicant must be submitted no later than the payment of the issue fee and, to avoid processing delays, should preferably accompany the issue fee. Such submissions should be clearly labeled "Comments on Statement of Reasons for Allowance."

Application/Control Number: 10/726,433 Page 4

Art Unit: 3743

Information Disclosure Statement

The information disclosure statement filed 03/26/05 fails to comply with 37 CFR 1.98(a)(1), which requires that each page the information disclosure statement must have the correct application number 10/726,433 (instead of 09/840,951). Furthermore, the last page of the information disclosure statement should have the heading "INFORMATION DISCLOSURE STATEMENT" (instead of Notice of References Cited). The information disclosure statement has been placed in the application file, but the information referred to therein has not been considered.

Any inquiry concerning this communication or earlier communications from the examiner should be directed to Fadi H. Dahbour whose telephone number is 571-272-4792. The examiner can normally be reached on M-F, 9am-5:30pm est. If attempts to reach the examiner by telephone are unsuccessful, the examiner's supervisor, Henry A. Bennett, can be reached on (571) 272-4791. The fax phone number for the organization where this application or proceeding is assigned is 703-872-9306.

Information regarding the status of an application may be obtained from the Patent Application Information Retrieval (PAIR) system. Status information for published applications may be obtained from either Private PAIR or Public PAIR. Status information for unpublished applications is available through Private PAIR only. For more information about the PAIR system, see http://pair-direct.uspto.gov. Should you have questions on access to the Private PAIR system, contact the Electronic Business Center (EBC) at 866-217-9197 (toll-free).

Fadi H. Dahbour Examiner Art Unit 3743